

Module: Tobacco Use

NNHS.Q101: Have you smoked at least 100 cigarettes in your life?

	Percent	Lower Estimate	Upper Estimate	N
Yes	25.8%	21.5%	30.7%	2,307
Male	37.2%	29.8%	45.2%	812
Female	16.1%	12.5%	20.4%	1,495

Have you smoked at least 100 cigarettes in your life, by Age Group

	Point	Lower	Upper	N
<30	31.9%	24.2%	40.6%	325
30-39	44.1%	30.5%	58.7%	266
40-49	23.4%	13.7%	36.9%	328
50-59	14.4%	10.0%	20.2%	500
60-69	13.6%	8.1%	22.0%	452
70-79	14.8%	8.2%	25.3%	306
80+	15.4%	6.2%	33.4%	130

Have you smoked at least 100 cigarettes in your life, by Agency

Agency	Point	Lower	Upper	N
Chinle	24.5%	19.1%	30.9%	707
Eastern	19.5%	12.7%	28.9%	470
Ft. Defiance	33.5%	23.6%	45.0%	343
Northern	25.7%	15.6%	39.4%	511
Western	25.8%	19.2%	33.7%	276

Module: Tobacco Use

NNHS.Q102: Do you now smoke cigarettes everyday, some days, or not at all? (N=454)

Frequency	Total	Male (N=252)	Female (N=202)
Every day	13.4% (9.2%, 19.2%)	13.2% (8.6%, 19.7%)	8.9% (4.8%, 15.9%)
Some days	32.4% (24.5%, 41.3%)	33.9% (26.0%, 42.7%)	16.6% (10.3%, 25.6%)
Not at all	54.3% (44.9%, 63.3%)	53.0% (43.8%, 62.0%)	74.5% (65.8%, 81.7%)

4 Level Smoking Status

Frequency	Total (2,298)	Male (N=806)	Female (N=1,492)
Every day	3.7% (2.4%, 5.5%)	5.5% (3.3%, 9.2%)	2.1% (1.1%, 4.0%)
Some days	8.8% (6.4%, 12.0%)	14.4% (9.9%, 20.4%)	3.6% (2.1%, 6.0%)
Former	13.1% (9.8%, 17.4%)	17.0% (11.9%, 23.7%)	10.3% (7.5%, 14.0%)
Never	74.4% (69.5%, 78.8%)	63.2% (55.1%, 70.5%)	84.1% (79.6%, 87.7%)

Do you smoke everyday (Among all participants), by Age Group

	Point	Lower	Upper	N
<30	5.2%	2.8%	9.5%	234
30-39	7.7%	2.8%	19.3%	265
40-49	3.3%	1.6%	6.6%	328
50-59	1.1%	0.4%	3.5%	500
60-69	0.3%	0.1%	1.3%	448
70-79	1.8%	0.3%	11.1%	305
80+	0%			128

Module: Tobacco Use

Do you smoke everyday (Among all participants), by Agency

Agency	Point	Lower	Upper	N
Chinle	3.3%	1.9%	5.8%	703
Eastern	1.7%	0.6%	4.3%	467
Ft. Defiance	3.5%	1.6%	7.4%	342
Northern	3.8%	1.8%	7.9%	510
Western	6.2%	2.8%	13.0%	276

Do you smoke some days (Among all participants), by Age Group

	Point	Lower	Upper	N
<30	15.1%	9.1%	24.0%	324
30-39	16.2%	8.1%	29.8%	265
40-49	6.3%	3.2%	12.0%	328
50-59	2.7%	1.1%	6.4%	500
60-69	1.0%	0.4%	2.1%	448
70-79	0.7%	0.1%	3.7%	305
80+	6.4%	0.8%	35.7%	128

Module: Tobacco Use

Do you smoke some days (Among all participants), by Agency

Agency	Point	Lower	Upper	N
Chinle	6.6%	4.4%	9.8%	703
Eastern	10.3%	5.6%	18.3%	467
Ft. Defiance	14.2%	9.8%	20.2%	342
Northern	5.2%	2.5%	10.9%	510
Western	6.0%	3.1%	11.4%	276

NNHS.Q103: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

	Percent	Lower Estimate	Upper Estimate	N
Yes	60.1%	45.0%	73.5%	182
Male	59.0%	43.7%	72.7%	111
Female	48.7%	33.4%	64.2%	71

Module: Tobacco Use

NNHS.Q104: How long has it been since you last smoked a cigarette, even one or two puffs? (N = 239)

Frequency	Total	Male (N=133)	Female (N=106)
Within the past month	9.5% (5.5%, 15.8%)	13.4% (7.9%, 21.8%)	6.0% (2.1%, 15.8%)
Within the past 3 months	2.4% (1.0%, 5.3%)	2.0% (0.8%, 5.4%)	2.3% (0.9%, 5.8%)
Within the past 6 months	5.0% (1.6%, 14.5%)	6.7% (2.3%, 17.9%)	0.9% (0.1%, 5.3%)
Within the past year	8.4% (3.8%, 17.5%)	7.9% (2.9%, 19.9%)	11.0% (4.8%, 23.1%)
Within the past 5 years	30.7% (14.5%, 53.7%)	25.9% (15.4%, 40.1%)	27.9% (18.2%, 40.1%)
Within the past 10 years	17.1% (8.2%, 32.2%)	17.5% (10.3%, 28.2%)	17.7% (9.6%, 30.3%)
10 or more years	27.0% (17.3%, 39.6%)	26.6% (18.9%, 36.1%)	34.4% (26.2%, 43.5%)

NNHS.Q105: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (N=2,299)

Frequency	Total	Male (N=809)	Female (N=1,490)
Every day	5.8% (3.5%, 9.3%)	9.3% (5.3%, 15.9%)	2.3% (1.1%, 4.6%)
Some days	7.7% (5.9%, 10.0%)	12.3% (9.1%, 16.4%)	3.7% (2.3%, 5.8%)
Not at all	86.7% (82.5%, 89.8%)	78.4% (71.4%, 84.1%)	94.0% (91.1%, 96.0%)

Module: Tobacco Use

Do you use chewing tobacco, or snus every day, some days, or not at all, by Age Group, Response of "Never"

	Point	Lower	Upper	N
<30	93.0%	88.1%	95.9%	321
30-39	91.3%	82.0%	96.1%	265
40-49	74.1%	60.9%	84.0%	329
50-59	84.5%	75.7%	90.5%	499
60-69	85.9%	73.2%	93.2%	451
70-79	88.2%	78.4%	93.9%	305
80+	95.9%	90.6%	98.2%	129

Do you use chewing tobacco, or snus every day, some days, or not at all, by Agency, Response of "Never"

Agency	Point	Lower	Upper	N
Chinle	82.7%	75.6%	88.1%	702
Eastern	89.2%	81.9%	93.7%	468
Ft. Defiance	84.1%	74.6%	90.5%	342
Northern	89.1%	83.0%	93.2%	516
Western	87.8%	76.8%	94.0%	271

Module: Tobacco Use

NNHS.Q106: Do you currently use cigars, pipes, bidis, kreteks or other tobacco products? Do not include cigarettes, snus, snuff or chewing tobacco? (N=2,261)

Frequency	Percent	Male (N=791)	Female (N=1,470)
Every day	0.8% (0.3%, 2.0%)	0.9% (0.3%, 2.6%)	0.6% (0.1%, 2.1%)
Some days	2.4% (1.4%, 4.2%)	3.6% (1.9%, 6.8%)	0.7% (0.3%, 1.7%)
Not at all	96.8% (94.9%, 98.1%)	95.5% (92.6%, 97.3%)	98.7% (97.4%, 99.4%)

Do you currently use cigars, pipes, bidis, kreteks or other tobacco products? Do not include cigarettes, snus, snuff or chewing tobacco, by Age Group, Response of "Never"

	Point	Lower	Upper	N
<30	92.6%	85.8%	96.2%	317
30-39	99.6%	98.8%	99.8%	263
40-49	97.7%	93.3%	99.3%	323
50-59	97.8%	94.3%	99.2%	492
60-69	98.0%	93.6%	99.4%	445
70-79	98.9%	95.1%	99.8%	295
80+	99.9%	99.0%	99.98%	126

Module: Tobacco Use

Do you currently use cigars, pipes, bidis, kreteks or other tobacco products? Do not include cigarettes, snus, snuff or chewing tobacco, by Age Group, Response of "Never"

Agency	Point	Lower	Upper	N
Chinle	97.7%	96.6%	98.4%	691
Eastern	96.1%	92.2%	98.1%	467
Ft. Defiance	96.1%	90.9%	98.4%	317
Northern	97.4%	92.1%	99.2%	516
Western	98.9%	94.5%	99.8%	270

NNHS.Q107: Are you seriously considering stopping using tobacco within the next six months?

	Percent	Lower Estimate	Upper Estimate	N
Yes	28.1%	15.3%	46.0%	86
Male	31.8%	18.4%	48.9%	41
Female	28.4%	14.2%	48.8%	45